



ANALYSIS REPORT

Client:	International Food Europe SRL	Lab No:	1928238	SDSPv1
Contact:	Francesco De Santis C/- International Food Europe SRL Viale Giulio Cesare 92 Roma 00192 ITALY	Date Received:	20-Feb-2018	
		Date Reported:	23-Feb-2018	
		Quote No:		
		Order No:		
		Client Reference:	18A1	
		Submitted By:	Francesco De Santis	

Analysis Results

Sample Name:	Lab Number	Dihydroxyacetone mg/kg	5-hydroxymethylfurfural (HMF) mg/kg	Leptosperin* mg/kg	Methylglyoxal mg/kg	NPA (Non Peroxide Activity) % Phenol Equivalent
18A1	1928238.1	950	21	440	549	15.6

SUMMARY OF METHODS

The following table(s) gives a brief description of the methods used to conduct the analyses for this job. The detection limits given below are those attainable in a relatively clean matrix. Detection limits may be higher for individual samples should insufficient sample be available, or if the matrix requires that dilutions be performed during analysis.

Sample Type: Honey			
Test	Method Description	Default Detection Limit	Sample No
3-in-1 Honey Analysis	Aqueous extraction, derivatisation. Analysis by UPLC-UV (dihydroxyacetone, 5-hydroxymethylfurfural, methylglyoxal).	1.0 - 10 mg/kg	1
Leptosperin*	Aqueous extraction, dilution, analysis by LC-MS/MS.	15 mg/kg	1
NPA (Non Peroxide Activity)	NPA is calculated from methylglyoxal using a correlation curve based on published data for NPA and the primary active ingredient, methylglyoxal. (1,2). (1) Isolation by HPLC and characterisation of the bioactive fraction of New Zealand manuka (Leptospermum scoparium) honey. C. J. Adams, et al. Carbohydrate Research 343 (2008) 651-659. (2) Corrigendum to "Isolation by HPLC and characterization of the bioactive fraction of New Zealand manuka (Leptospermum scoparium) honey" [Carbohydr. Res. 343 (2008) 651]. C. J. Adams, et al. Carbohydrate Research 344 (2009) 2609.	1.0 % Phenol Equivalent	1

These samples were collected by yourselves (or your agent) and analysed as received at the laboratory.

Samples are held at the laboratory after reporting for a length of time depending on the preservation used and the stability of the analytes being tested. Once the storage period is completed the samples are discarded unless otherwise advised by the client.

This report must not be reproduced, except in full, without the written consent of the signatory.

B. D. Morris

Bruce Morris PhD
Senior Technologist - Food & Bioanalytical

